MOLECULAR PHYSICS, 1989, VOL. 68, NO. 6, 1385–1392

Index of Authors

with the titles of papers

ABASCAL, J. L. F., *see* Lomba, E.
ACKERMANN, J., and HOGREVE, H.: A CI study of the ground state potential energy surface of He_3^+, 279
AHLSTRÖM, P., WALLQVIST, A., ENGSTRÖM, S., and JÖNSSON, B.: A molecular dynamics study of polarizable water, 563
ALLEN, M. P.: A theoretical study of the Lebwohl–Lasher model in higher dimensions, 181
ALTONA, C., *see* Díez, E.
ANDREANI, C., BISANTI, P., PETRILLO, C., SACCHETTI, F., BOLAND, B. C., BOWDEN, Z. A., and TAYLOR, A. D.: Density of vibrational states in hydrogen bonded crystals. Potassium dihydrogen phosphate, 681
ANDRESEN, U., *see* Jäger, W.
APPERLEY, D. C., HAIPING, B., and HARRIS, R. K.: Tin–chlorine coupling in magic-angle spinning N.M.R. spectra, 1277
APPERLEY, D. C., *see* Mortimer, M.

BACHEM, E., *see* Lipus, K.
BACHEM, E., *see* Zimmermann, W.
BARNES, L. A., CHANDLER, G. S., and FIGGIS, B. N.: Orbital magnetization in $CoCl_4^{2-}$ and Co(phthalocyanine) from polarized neutron diffraction, 711
BAUDER, A., *see* Jans-Bürli, S.
BÉE, M., *see* Carpentier, L.
BÉE, M., *see* Giroud-Godquin, A. M.
BENAVIDES, A. H., and DEL RIO, F.: Properties of the square-well fluid of variable width. III. Long-range expansion, 983
BERMEJO, F., *see* Guilleme, J.
BHETHANABOTLA, V. R., and STEELE, W. A.: Triplet correlation functions for fluids of non-spherical molecules, 659
BICKEL, G. A., *see* Meenakshi, A.
BISANTI, P., *see* Andreani, C.
BLÜMICH, B., *see* Paff, J.
BODDENBERG, B., *see* Neue, G.
BOLAND, B. C., *see* Andreani, C.
BOUBLÍK, T.: Equation of state of linear fused hard-sphere models, 191
BOWDEN, Z. A., *see* Andreani, C.
BRONDEAU, J., *see* Elbayed, K.
BROWN, J. M., *see* Woodward, D. R.

CANALES, M., *see* Padró, J. A.
CANET, D., *see* Elbayed, K.
CARPENTIER, L., BÉE, M., GIROUD-GODQUIN, A. M., MALDIVI, P., and MARCHON, J. C.: Alkyl chain motions in columnar mesophases. A quasielastic neutron scattering study of dicopper tetrapalmitate, 1367
CARPENTIER, L., *see* Giroud-Godquin, A. M.
CASTEX, M. C., *see* Maïnos, C.
CAVAGNAT, D., *see* Lassegues, J. C.
CHANDLER, G. S., *see* Barnes, L. A.
CHECHETKIN, V. R., and LUTOVINOV, V. S.: On the Hall number in dilute electrolyte solutions, 979

CHEN, W.-H., HUANG, T.-H., RIECKHOFF, K. E., and VOIGT, E. M.: Electronic spectra and Zeeman effect of ruthenium phthalocyanine in Shpol'skii matrices, 341
CHIERICO, A., *see* Mognaschi, E. R.
CHIEUX, P., *see* Jung, W. G.
CLOUGH, S.: The topology of methyl rotation and gauge theory in solids, 1255
CUMMINGS, P. T., *see* Rudisill, E. N.

DA COSTA, H. F. M., *see* da Silva, A. B. F.
DALAL, N. S., *see* Rakvin, B.
DA SILVA, A. B. F., DA COSTA, H. F. M., and TRSIC, M.: Universal gaussian and Slater-type bases for atoms H to Xe based on the generator coordinate Hartree–Fock method. I. Ground and certain low-lying excited states of the neutral atoms, 433
DE LEEUW, S. W., *see* Smit, B.
DEL RIO, F., *see* Benavides, A. H.
DE SMEDT, PH., *see* Smit, B.
DICKINSON, E., and EUSTON, S. R.: Computer simulation of the competitive adsorption between polymers and small displacer molecules, 407
DÍEZ, E., *see* Guilleme, J.
DÍEZ, E., SAN-FABIÁN, J., GUILLEME, J., ALTONA, C., and DONDERS, L. A.: Vicinal proton–proton coupling constants. I. Formulation of an equation including interactions between substituents, 49
DIXON, R. N.: The influence of parent rotation on the dissociation dynamics of the $\tilde{A}\,^1A_2''$ state of ammonia, 263
DONDERS, L. A., *see* Díez, E.
DROBNY, G. P., *see* Remerowski, M. L.

ELBAYED, K., and CANET, D.: Accurate determination of interference terms between carbon–proton dipolar interactions and carbon or proton chemical shift anisotropy from longitudinal carbon-13 relaxation studies, 1033
ELBAYED, K., CANET, D., and BRONDEAU, J.: Accurate determination of frequency dependent cross-relaxation terms in homonuclear and heteronuclear two spin-1/2 systems. Application to dynamical studies of aromatic moieties in micellized surfactants, 295
EL-SHEIKH, S. M., and TABISZ, G. C.: Perturber dependence of the collision-induced light scattering by SF_6 and CF_4, 1225
ENGSTRÖM, S., *see* Ahlström, P.
ESPARZA, C. H., and KRONMÜLLER, H.: Canonical molecular dynamics simulation. A phenomenological approach, 1341
ESTEBAN, A. L., *see* Guilleme, J.
EUSTON, S. R., *see* Dickinson, E.
EVANS, D. J., and HANLEY, H. J. M.: Heat induced instability in a model liquid, 97
EVANS, D. J., MORRISS, G. P., and HOOD, L. M.: On the number dependence of viscosity in three dimensional fluids, 637
EVANS, D. J., and MURAD, S.: Thermal conductivity in molecular fluids, 1219

FANTONI, R., and SNELS, M.: High resolution infrared spectrum and analysis of the ν_2 band of CF_3I, 327
FANTONI, R., and SNELS, M.: High resolution infrared spectrum and analysis of the $2\nu_3$, $3\nu_3-\nu_3$ and $\nu_1-\nu_3$ bands of CF_3Br, 333
FELLER, C., *see* Igel-Mann, G.
FIGGIS, B. N., *see* Barnes, L. A.
FISCHER, J., *see* Sokolowski, S.
FISCHER, J., *see* Vega, C.
FLAD, H.-J., *see* Igel-Mann, G.
FLETCHER, D. A., *see* Woodward, D. R.
FOWLER, P. W., LAZZERETTI, P., and ZANASI, R.: Anisotropic dispersion forces in methane mixtures, 853

FRANCISCO, J. S., and OSTAFIN, A.: Structures of low-lying electronic states of the fluoroformyloxyl radical, 255
FRENKEL, D., *see* Smit, B.

GAZZILLO, D.: Direct correlation functions for negatively non-additive hard spheres in the PY approximation (erratum), 1383
GEIGER, A., *see* Kneller, G. R.
GERLACH, P. N., *see* Prystupa, D. A.
GIROUD-GODQUIN, A. M., *see* Carpentier, L.
GIROUD-GODQUIN, A. M., MALDIVI, P., MARCHON, J. C., BÉE, M., and CARPENTIER, L.: Alkyl chain motions of dicopper-tetraalkanoates in the crystalline and columnar phases. A quasielastic neutron scattering study, 1353
GLASER, S. J., *see* Remerowski, M. L.
GOLOVKO, M. F., and KRIENKE, H.: Generalized virial expansions, 967
GREEN, K. A., *see* Jangkamolkulchai, A.
GUILLEME, J., *see* Díez, E.
GUILLEME, J., SAN-FABIÁN, J., DÍEZ, E., BERMEJO, F., and ESTEBAN, A. L.: Vicinal proton–proton coupling constants. II. Analysis of the effect of interaction between geminal substituents upon vicinal couplings to methyl groups, 65
GUENGANT, L., *see* Vidal, D.
GUO, H.: The $\tilde{B}$-state photodissociation of water. A classical trajectory study, 249
GUPTA, D., and HIRTZEL, C. S.: Monte Carlo studies of reactive desorption from mixed adlayers, 583
GUPTA, S.: Computer simulation and perturbation theory of fluids modelled using three- and six-site Lennard-Jones potentials, 699

HAEKEL, J., *see* Jäger, W.
HAIPING, B., *see* Apperley, D. C.
HALLAS, E., and STERNBERG, U.: New aspects of the semiempirical theory of ^{27}Al-chemical shift and its application to glasses, 315
HANLEY, H. J. M., *see* Evans, D. J.
HANRATTY, M. A., *see* Rosslein, M.
HANSEN, W. N., HENDERSON, D., and ULSTRUP, J.: Charge-flow and potential shifts in electrochemical double layer emersion, 401
HARRIS, R. K., *see* Apperley, D. C.
HENDERSON, D., *see* Hansen, W. N.
HENDRIKS, E. M., *see* Smit, B.
HERRMANN, R., *see* Törring, T.
HERTZNER, A. W., SCHOEN, M., and MORGNER, H.: The reaction potential in anisotropic dense fluids, 1143
HEYES, D. M., and MELROSE, J. R.: Continuum percolation of 2D Lennard-Jones and square-well phases, 359
HIRTZEL, C. S., *see* Gupta, D.
HOGREVE, H., *see* Ackermann, J.
HOLLENSTEIN, H., and QUACK, M.: High resolution FTIR spectra and analysis of the ν_1 fundamental in $^{13}CF_3{}^{35}Cl$ and $^{13}CF_3{}^{37}Cl$, 759
HOLOVKO, M. F., and KALYUZHNYI, YU. V.: On the application of the EXP-like approximation for the description of the site–site ion-molecular models, 1239
HOŁYST, R., and PONIEWIERSKI, A.: Comparative study of the nematic phase–isotropic phase transition in systems of uniaxial hard cores, 381
HOŁYST, R.: Exact sum rules and geometrical packing effects in the system of hard rods near a hard wall in three dimensions, 391
HOOD, L. M., *see* Evans, D. J.
HOVDE, D. C., KEIM, E. R., and SAYKALLY, R. J.: Velocity modulation laser spectroscopy of molecular ions. The hyperfine-resolved rovibrational spectrum of HF^+, 599
HOY, A. R., *see* Lipson, R. H.

Hu, W. P., *see* Wang, S. P.
Huang, T.-H., *see* Chen, W.-H.

Idziak, S.: N.M.R. study of the molecular dynamics in crystalline trichloroacetic acid, 1335
Igel-Mann, G., Feller, C., Flad, H.-J., Savin, A., Stoll, H., and Preuss, H.: Comparative study of spectroscopic properties of some indium, tin and antimony compounds, 209
Innes, K. K., *see* Meenakshi, A.

Jäger, W., Haekel, J., Andresen, U., and Mäder, H.: Two-dimensional Fourier transform spectroscopy in the microwave-radiofrequency range, 1287
Jangkamolkulchai, A., Green, K. A., and Luks, K. D.: Robust solutions of the Yvon–Born–Green equation at very high densities, 791
Jans-Bürli, S., Oldani, M., and Bauder, A.: Deuterium quadrupole coupling in rotational spectra of benzene-d_1 and of three isomers of fluorobenzene-d_1, 1111
Jönsson, B., *see* Ahlström, P.
Jung, W. G., Zeidler, M. D., and Chieux, P.: A neutron diffraction study of liquid methylene chloride, 473

Kahol, P. K., *see* Rakvin, B.
Kalyuzhnyi, Yu. V., *see* Holovko, M. F.
Kalyuzhnyi, Y. V., *see* Nezbeda, Y.
Keim, E. R., *see* Hovde, D. C.
Kierlik, E., and Rosinberg, M. L.: Packing effects in the adsorption at the liquid–solid interface. Theory and computer simulation, 867
Kneller, G. R., and Geiger, A.: Molecular dynamics studies and neutron scattering experiments on methylene chloride. I. Structure, 487
Knöckel, H., Richter, H., Siese, M., and Tiemann, E.: Hyperfine structure of the lowest 0_g^+ and 1_g ion pair states of I_2, 917
Kolafa, J., *see* Nezbeda, I.
Kolafa, J., *see* Vörtler, H. L.
Konior, J.: Analytical formulation of the optimized-random-phase-approximation for a hard-core Yukawa fluid, 129
Krienke, H., *see* Golovko, M. F.
Kromhout, R. A., and Linder, B.: Effect of van der Waals interaction on Raman transitions. III, 499
Kronmüller, H., *see* Esparza, C. H.

Labik, S., *see* Pospíšil, R.
Lassegues, J. C., and Cavagnat, D.: Neutron scattering study of the proton dynamics in aqueous solutions of sulphuric acid and caesium sulphate, 803
Lazzeretti, P., *see* Fowler, P. W.
Lee, E. M., *see* Penfold, J.
Leggetter, S., and Tildesley, D. J.: The computer simulation of adsorbed hydrocarbons, 519
Linder, B., *see* Kromhout, R. A.
Lipson, R. H., and Hoy, A. R.: A vacuum ultraviolet laser study of IBr, 1311
Lipus, K., Nelis, Th., Bachem, E., and Urban, W.: Vibration rotation spectroscopy of the CoH radical in its $X\,^3\Phi_4$ ground state by CO-Faraday laser magnetic resonance, 1171
Lomba, E.: An efficient procedure for solving the reference hypernetted chain equation (RHNC) for simple fluids. Illustrative results with application to phase coexistence for a Lennard-Jones fluid, 87
Lomba, E., Lombardero, M., and Abascal, J. L. F.: New aspects in the simulation and behaviour of polar molecular fluids, 1067
Lombardero, M., *see* Lomba, E.

LUCKHAUS, D., and QUACK, M.: The far infrared pure rotational spectrum and the Coriolis coupling between ν_3 and ν_9 in $CH^{35}ClF_2$, 745
LUKS, K. D., *see* Jangkamolkulchai, A.
LUTOVINOV, V. S., *see* Chechetkin, V. R.

MÄDER, H., *see* Jäger, W.
MAHMOOD, M. F.: Collisional studies involving metastable species ($N_2(A)$ and $HgBr_2/CH_3HgBr$ collisions), 959
MAIER, J. P., *see* Rosslein, M.
MAÏNOS, C., and CASTEX, M. C.: The single path rotational structure of *n*-photon transitions in diatomic molecules, 615
MAKAREWICZ, J., and PYKA, J.: Centrifugal stabilization and destabilization of molecular geometry and clustering of rovibrational energy levels in the H_2O, 107
MALBRUNOT, P., *see* Vidal, D.
MALDIVI, P., *see* Carpentier, L.
MALDIVI, P., *see* Giroud-Godquin, A. M.
MALIJEVSKÝ, A., *see* Pospíšil, R.
MARCHON, J. C., *see* Carpentier, L.
MARCHON, J. C., *see* Giroud-Godquin, A. M.
MATSUMOTO, M., OHTORI, N., OKAZAKI, S., and OKADA, I.: Raman spectroscopic study of vibrational and rotational relaxation of the NO_3^- ion in molten binary systems $(Li–K)NO_3$ and $(Na–K)NO_3$, 671
MEENAKSHI, A., INNES, K. K., and BICKEL, G. A.: The 1900 Å band system of HCN and its isotopes. One or two excited states?, 1179
MELROSE, J. R., *see* Heyes, D. M.
MENZEL, R.: Modelling excited state absorption (ESA) measurements including the photophysical hole burning effect with rate equations, 161
MOGNASCHI, E. R., and CHIERICO, A.: Associating behaviour of pure polar liquids: dielectric properties of heptadecanoic and nonadecanoic acids, 241
MOHANTY, U., *see* Singh, U. P.
MOORE, E. A., *see* Mortimer, M.
MORADI, M., and RICKAYZEN, G.: An approximate density functional for an inhomogeneous dipolar fluid, 903
MORGNER, H., *see* Hertzner, A. W.
MORO, G. J., NORDIO, P. L., and POLIMENO, A.: Multivariate diffusion models of dielectric friction and TICT transitions, 1131
MORRISS, G. P., *see* Evans, D. J.
MORTIMER, M., MOORE, E. A., APPERLEY, D. C., and PEIRSON, N. F.: Calculation of N.M.R. spin echo responses in solids containing both resonant and non-resonant spin-$\frac{1}{2}$ nuclei, 455
MOSS, R. E., and SADLER, I. A.: Variational calculations for high J, low v levels of HD^+, 1015
MURAD, S., *see* Evans, D. J.

NELIS, TH., *see* Lipus, K.
NELIS, TH., *see* Zimmermann, W.
NEUE, G., and BODDENBERG, B.: An N.M.R. study of an *n*-butane film of graphite. II. ^1H relaxation of the 2D fluid state, 771
NEZBEDA, I., KOLAFA, J., and KALYUZHNYI, Y. V.: Primitive model of water. II. Theoretical results for the structure and thermodynamic properties, 143
NEZBEDA, I., *see* Vörtler, H. L.
NORDIO, P. L., *see* Moro, G. J.

OHTORI, N., *see* Matsumoto, M.
OKADA, I., *see* Matsumoto, M.
OKAZAKI, S., *see* Matsumoto, M.

OLDANI, M., *see* Jans-Bürli, S.
OSTAFIN, A., *see* Francisco, J. S.

PADRÓ, J. A., and CANALES, M.: Fractal analysis of atomic motions, 423
PAFF, J., and BLÜMICH, B.: Nonlinear incoherent spectroscopy. Two-dimensional time-domain CW magnetic resonance, 225
PAHNKE, R., *see* Zimmermann, W.
PEIRSON, N. F., *see* Mortimer, M.
PELLOW, R., and VALA, M.: Magnetic circular dichroism and magnetic linear dichroism of randomly oriented linear molecules, 893
PENFOLD, J., LEE, E. M., and THOMAS, R. K.: The structure of aqueous tetramethylammonium dodecylsulphate solutions at the air–water interface studied by the specular reflection of neutrons, 33
PETRILLO, C., *see* Andreani, C.
POLÁK, R., and VOJTÍK, J.: Diatomics-in-molecules treatment of NH_3, 447
POLIMENO, A., *see* Moro, G. J.
PONIEWIERSKI, A., *see* Hołyst, R.
POSPÍŠIL, R., MALIJEVSKÝ, A., and LABIK, S.: An integral equation method for quadrupolar hard dumbbell fluids, 609
POWELL, B. M., *see* Prystupa, D. A.
POWELL, B. M., *see* Weng, S.-X.
PREUSS, H., *see* Igel-Mann, G.
PRYSTUPA, D. A., TORRIE, B. H., POWELL, B. M., and GERLACH, P. N.: Crystal structures of methylene bromide and methylene iodide, 835
PYKA, J., *see* Makarewicz, J.

QUACK, M., *see* Hollenstein, H.
QUACK, M., *see* Luckhaus, D.
QUELCH, G. E., XIE, Y., YATES, B. F., YAMAGUCHI, Y., and SCHAEFER III, H. F.: The HO_2^+ ion. A comparison of theoretical methods for the prediction of anharmonic vibrational frequencies, 1095

RAKVIN, B., KAHOL, P. K., and DALAL, N. S.: Electron nuclear double resonance near the phase transitions of the KH_2PO_4-type of ferroelectrics, 1185
REMEROWSKI, M. L., GLASER, S. J., and DROBNY, G. P.: A theoretical study of coherence transfer by isotropic mixing. Calculation of pulse sequence performance for systems of biological interest, 1191
RICHTER, H., *see* Knöckel, H.
RICKAYZEN, G., *see* Moradi, M.
RIECKHOFF, K. E., *see* Chen, W.-H.
RIGBY, M.: Hard gaussian overlap fluids, 687
ROBINSON, G. W., *see* Zhu, S.-B.
ROSINBERG, M. L., *see* Kierlik, E.
ROSSLEIN, M., HANRATTY, M. A., and MAIER, J. P.: The r_s-structure of bromocyanogen cation: $BrCN^+$ $X\,^2\Pi$, 823
RUCKER, S. P., and SHAKA, A. J.: Broadband homonuclear cross polarization in 2D N.M.R. using DIPSI-2, 509
RUDISILL, E. N., and CUMMINGS, P. T.: Gibbs ensemble simulation of phase equilibrium in the hard core two-Yukawa fluid model for the Lennard-Jones fluid, 629

SAAGER, B., *see* Vega, C.
SACCHETTI, F., *see* Andreani, C.
SADLER, I. A., *see* Moss, R. E.
SAN FABIÁN, J., *see* Díez, E.
SAN-FABIÁN, J., *see* Guilleme, J.

SAVIN, A., *see* Igel-Mann, G.
SAYKALLY, R. J., *see* Hovde, D. C.
SCHAEFER III, H. F., *see* Quelch, G. E.
SCHOEN, M., *see* Hertzner, A. W.
SCHWARTZ, M., *see* Wang, S. P.
SHAKA, A. J., *see* Rucker, S. P.
SIDERS, P.: Monte Carlo study of a monolayer of hard oblate spheroids, 1001
SIESE, M., *see* Knöckel, H.
SINGH, U. P., MOHANTY, U., and SINHA, S. K.: Perturbation theory of fluids of axisymmetric molecules. Gaussian overlap and modified gaussian overlap fluid models, 1047
SINHA, S. K., *see* Singh, U. P.
SMIT, B., DE SMEDT, PH., and FRENKEL, D.: Computer simulations in the Gibbs ensemble, 931
SMIT, B., and FRENKEL, D.: Calculation of the chemical potential in the Gibbs ensemble, 951
SMIT, B., WILLIAMS, C. P., HENDRIKS, E. M., and DE LEEUW, S. W.: Vapour–liquid equilibria for Stockmayer fluids, 765
SNELS, M., *see* Fantoni, R.
SOKOLOWSKI, S., and FISCHER, J.: Density functional theory for inhomogeneous fluids. Effects of triple correlations, 647
STEELE, W. A., *see* Bhethanabotla, V. R.
STELL, G., *see* Zhou, Y.
STERNBERG, U., *see* Hallas, E.
STOLL, H., *see* Igel-Mann, G.

TABISZ, G. C., *see* El-Sheikh, S. M.
TAYLOR, A. D., *see* Andreani, C.
THIEL, W.: Nonlinear transformation of anharmonic normal coordinate force constants, 427
THOMAS, R. K., *see* Penfold, J.
TIEMANN, E., *see* Knöckel, H.
TILDESLEY, D. J., *see* Leggetter, S.
TORRIE, B. H., *see* Prystupa, D. A.
TORRIE, B. H., *see* Weng, S.-X.
TORRING, T., and HERRMANN, R.: Fine and hyperfine structure in the $X\,^2\Sigma^+$-state of AlO, 1379
TRSIC, M., *see* da Silva, A. B. F.

ULSTRUP, J., *see* Hansen, W. N.
URBAN, W., *see* Lipus, K.
URBAN, W., *see* Zimmermann, W.

VALA, M., *see* Pellow, R.
VEGA, C., SAAGER, B., and FISCHER, J.: Molecular dynamics studies for the new refrigerant R152a with simple model potentials, 1079
VERMESSE, J., *see* Vidal, D.
VIDAL, D., GUENGANT, L., MALBRUNOT, P., and VERMESSE, J.: Dielectric constant of dense krypton at moderate densities and at three temperatures, 737
VOIGT, E. M., *see* Chen, W.-H.
VOJTÍK, J., *see* Polák, R.
VÖRTLER, H. L., KOLAFA, J., and NEZBEDA, I.: Computer simulation studies of hard body fluid mixtures. II, 547

WALLQVIST, A., *see* Ahlström, P.
WANG, S. P., HU, W. P., and SCHWARTZ, M.: Raman bandshape of the degenerate ν_4 vibration and parallel rotational diffusion in CD_3I, 1125
WENG, S.-X., TORRIE, B. H., and POWELL, B. M.: The crystal structure of formaldehyde, 25
WILLIAMS, C. P., *see* Smit, B.

WILLIAMS, R. J. P.: Invited Article. Electron transfer in biology, 1
WOODWARD, D. R., FLETCHER, D. A., and BROWN, J. M.: Dispersed fluorescence studies of the NCO radical. Fermi resonance between the (100) and (020) levels of the $\tilde{X}\,^2\Pi$ state (erratum), 261

XIE, Y., *see* Quelch, G. E.

YAMAGUCHI, Y., *see* Quelch, G. E.
YATES, B. F., *see* Quelch, G. E.

ZANASI, R., *see* Fowler, P. W.
ZEIDLER, M. D., *see* Jung, W. G.
ZHOU, Y., and STELL, G.: Fluids inside a pore—An integral equation approach. III. Water-in-oil microemulsions, 1265
ZHU, J.-B., *see* Zhu, S.-B.
ZHU, S.-B., ZHU, J.-B., and ROBINSON, G. W.: Structure and properties of liquid carbon disulphide between charged plates, 1321
ZIMMERMANN, W., NELIS, TH., BACHEM, E., PAHNKE, R., and URBAN, W.: The infrared L.M.R. spectrum of SnH, 199

**Printed in Great Britain by Taylor & Francis (Printers) Ltd,
Rankine Road, Basingstoke, Hants RG24 0PR**